

# DRIVEN

## 2025 Contents List

### Part #

#### Radius Rod and Shocks Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b>              | <b>Description</b>                                                       |    |  |
|------------|--------------------------------------------|--------------------------------------------------------------------------|----|--|
| 6          | 3/8 – 24 x 1–1/8 Hex Head                  | 3) Front Radius Rod Mounting to Chassis<br>Front Radius Rod to Axle Flag | 3) |  |
| 1          | 3/8 – 24 x 1-1/4 Hex Head                  | Pan Hard to Chassis                                                      |    |  |
| 3          | 3/8 - 24 Titanium Nylock Nut (.330 height) | Front Radius Rod to Axle Flag                                            |    |  |
| 1          | 3/8 - 24 Full Aluminum Nut                 | Pan Hard to Front Axle                                                   |    |  |
| 4          | 3/8 - 24 x 3/4 Hex Head                    | Shock Mounting to Chassis                                                |    |  |

#### Steering Arm and Spindles Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b>             | <b>Description</b>                            |  |  |
|------------|-------------------------------------------|-----------------------------------------------|--|--|
| 2          | 3/8 - 16 x 1-1/2 Hex Head                 | RF Steering Arm to Spindle                    |  |  |
| 2          | 3/8 – 16 x 1-5/8 Countersunk              | LF Steering Arm to Spindle                    |  |  |
| 1          | 3/8 – 24 x 3 Hex Head                     | Left Front Steering Arm – Drag Link – Tie Rod |  |  |
| 1          | 3/8 – 24 x 1-7/8 Hex Head                 | Right Front Steering Arm – Tie Rod            |  |  |
| 2          | 3/8 - 24 Titanium Nylock Nut(.330 height) | Steering Arm to Tie Rods                      |  |  |
| 1          | 3/8 x 5/8 Titanium Spacer                 | LF Steering Arm to Heim End on Drag Link      |  |  |
| 2          | 3/8 x 3/8 Titanium Spacer                 | LF & RF Steering Arm to Heim End              |  |  |
| 2          | 5/16 - 24 x 1.125 Reduced Hex Head        | LF Joes Brake Mount to Joes Caliper           |  |  |
| 2          | 5/8 x .300 x 5/16 Hole Spacer             | LF Joes Brake Mount to Joes Caliper           |  |  |
| 5          | 10 - 24 x 5/8 Button Head                 | LF 5 Hole Rotor to Keizer Front Hub           |  |  |

#### Steering Box/Column Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b>  | <b>Description</b>        |  |  |
|------------|--------------------------------|---------------------------|--|--|
| 1          | 3/8 - 24 x 2 Hex Head          | Drag Link to Steering Box |  |  |
| 1          | 3/8 - 24 Titanium Flex-Loc Nut | Drag Link to Steering Box |  |  |
| 1          | 5/8 x 7/8 x 3/8 Hole Ti Spacer | Drag Link to Steering Box |  |  |
| 2          | 5/16 - 24 x 2-1/2 Hex Head     | Steering Box to Chassis   |  |  |
| 2          | 5/16 - 24 x 1-3/4 Hex Head     | Drop Bucket to Chassis    |  |  |

|   |                               |                                                 |         |  |  |
|---|-------------------------------|-------------------------------------------------|---------|--|--|
| 4 | 5/16 - 24 Titanium Nylock Nut | 2) Steering Box to Chassis<br>Bucket to Chassis | 2) Drop |  |  |
| 3 | M-8 x 1.25 x 20mm Hex Head    | Power Steering Bracket to Unit                  |         |  |  |
| 3 | 5/16 - 18 x 1/2 Hex Head      | Steering Wheel to Hub                           |         |  |  |

#### Rear Arm to Shocks Kit (Part # )

| Qty | Size (Thread x Length)                     | Description                     |  |  |
|-----|--------------------------------------------|---------------------------------|--|--|
| 1   | 3/8 - 24 x 2.410 Stud                      | Right Rear Torsion Arm to Shock |  |  |
| 1   | 3/8 - 24 x 2.0 Hex Head                    | Left Rear Torsion Arm to Shock  |  |  |
| 1   | LR Shock Spacer                            | Left Rear Torsion Arm to Shock  |  |  |
| 4   | 3/8 - 24 Titanium Nylock Nut (.330 height) | Rear Torsion Arms to Shocks     |  |  |

#### Torsion Arms and Stops Kit (Part #)

| Qty | Size (Thread x Length)        | Description            |  |  |
|-----|-------------------------------|------------------------|--|--|
| 4   | 5/16 – 24 x 2 Hex Head        | Torsion Arm Pinch Bolt |  |  |
| 4   | 5/16 – 24 Titanium Nylock Nut | Torsion Arm Pinch Bolt |  |  |
| 16  | 5/16 Stainless Steel Washers  | Torsion Arm Pinch Bolt |  |  |
| 4   | 5/16 – 18 x 1 1/2 Hex Head    | Torsion Stop Pinch     |  |  |
| 4   | 5/16 – 18 x 1 1/2 Hex Head FT | Torsion Stop Adjuster  |  |  |
| 4   | 5/16 – 18 Titanium Jam Nuts   | Torsion Stop Adjuster  |  |  |

#### Motor Kit (Part # )

| Qty | Size (Thread x Length)        | Description            |  |  |
|-----|-------------------------------|------------------------|--|--|
| 4   | 3/8 – 24 x 1-1/2 Hex Head     | Motor Plate to Chassis |  |  |
| 4   | 3/8 Titanium Washers          | Motor Plate to Chassis |  |  |
| 1   | 7/16 – 20 x 1-1/4 Hex Head FT | Engine Bolt Adjuster   |  |  |

#### Rear End Kit (Part # )

| Qty | Size (Thread x Length)          | Description                                       |  |  |
|-----|---------------------------------|---------------------------------------------------|--|--|
| 4   | 7/16 – 20 x 1-1/4 Hex Head      | Rear Radius Rod to Chassis/Radius Rod to Birdcage |  |  |
| 2   | 3/8 - 24 x 1-1/4 SHCS           | Brake Carrier to Brake Caliper                    |  |  |
| 2   | 3/8 - 24 Titanium Flex Lock Nut | Brake Carrier to Brake Caliper                    |  |  |
| 1   | 7/16 - 20 x 3-1/2 Hex Head      |                                                   |  |  |
| 1   | 7/16 – 20 Nylock Half Nut       |                                                   |  |  |
| 2   | 7/16 - 20 x 2 T500              | Birdcage to Torsion Arm                           |  |  |
| 2   | 10-32 x 3/8 SHCS                | Birdcage to Torsion Arm Safety Lock               |  |  |

#### Sprocket Carrier Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b>           |  |  |
|------------|-------------------------------|------------------------------|--|--|
| 6          | 1/4 - 28 x 3/4 Hex Head       | Sprocket to Sprocket Carrier |  |  |

#### Brake Carrier Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b>           |  |  |
|------------|-------------------------------|------------------------------|--|--|
| 6          | 1/4 - 28 x 3/4 Hex Head       | Brake Rotor to Rotor Carrier |  |  |

#### Throttle Pedal & Bell Crank Kit (Part #)

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b>                                                        |         |  |
|------------|-------------------------------|---------------------------------------------------------------------------|---------|--|
| 3          | 1/4 - 28 x 3/4 FT Hex Head    | 1) Bell Crank to Chassis<br>Crank to Throttle Pedal rod/to Throttle Cable | 2) Bell |  |
| 1          | 1/4 - 28 Titanium Nylock Nut  |                                                                           |         |  |
| 1          | 1/4 - 28 x 1.0 FT Hex Head    | Throttle Pedal/to Throttle Pedal Rod                                      |         |  |
| 2          | 5/16 - 24 x 1 SHCS            | Pedal Pegs to Pedal                                                       |         |  |
| 2          | 10-32 x 1-1/4 SHCS FT         | Throttle Stop Adjuster                                                    |         |  |
| 2          | 10-32 Thin Steel Jam Nut      | Throttle Stop Adjuster                                                    |         |  |

#### W-Link Assembly Kit (Part #)

| <b>Qty</b> | <b>Size (Thread x Length)</b>                   | <b>Description</b>                     |  |  |
|------------|-------------------------------------------------|----------------------------------------|--|--|
| 1          | 3/8 x .850 gripTitanium Pin w/Clip              | W-link to Right Rear Bird Cage Rod End |  |  |
| 4          | 3/8 - 24 x 1.63 T350 Thin Hex Head              | W-link to Chassis, W-link to Arms      |  |  |
| 4          | 3/8 - 24 Titanium Nut with Nylock (.330 height) | W-link to Chassis                      |  |  |

#### Brake Assembly Kit (Part #)

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b>                                                  |              |  |
|------------|-------------------------------|---------------------------------------------------------------------|--------------|--|
| 3          | 1/4 - 24 x 1-1/2 Hex Head     | 1) Brake Rod to Master Cylinder Linkage<br>Brake Proportional Valve | 2)           |  |
| 2          | 1/4 x 5/8 Spacer              | Brake Pedal/Master Cylinder Linkage                                 |              |  |
| 4          | 1/4 - 28 Titanium Nylock Nut  | 1) Brake Pedal/Master Cylinder<br>2)Brake Proportional Valve        | 1) Reservoir |  |
| 2          | 5/16 - 24 x 1.550 Hex Head    | Master Cylinder to Chassis                                          |              |  |
| 2          | 5/16-24 Titanium Nylock Nut   | Master Cylinder to Chassis                                          |              |  |
| 1          | 1/4 - 28 x 1-1/4 Hex Head     | Brake Rod to Pedal                                                  |              |  |
| 1          | 1/4 - 28 x 1/2 Hex Head       | Brake Reservoir                                                     |              |  |

#### Chain Guide Kit (Part #)

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b> |  |  |
|------------|-------------------------------|--------------------|--|--|
|------------|-------------------------------|--------------------|--|--|

|   |                              |                                                     |  |  |
|---|------------------------------|-----------------------------------------------------|--|--|
| 2 | 5/16 - 18 x 3/4 Countersunk  | Chain Guide Bracket to Left Rear Bird Cage (Yamaha) |  |  |
| 2 | 5/16 - 18 x 1 Countersunk    | Chain Guide Bracket to Left Rear Bird Cage (Suzuki) |  |  |
| 4 | 1/4 - 28 x 2-1/2 Countersunk | Chain Guide Block to Chain Guide Bracket            |  |  |
| 2 | 5/16 x 5/16 Aluminum Spacers | Chain Guide Block to Chain Guide Bracket            |  |  |

#### Chain Tensior Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b>                    | <b>Description</b>                  |  |  |
|------------|--------------------------------------------------|-------------------------------------|--|--|
| 2          | 3/8 - 24 x 1 Countersunk                         | Chain Tensioner Link to Motor Plate |  |  |
| 2          | 3/8 - 24 Titanium Flex Lock Nut                  | Chain Tensioner Link to Moto Plate  |  |  |
| 1          | 3/8 - 24 x 2-1/2 Hex Head                        | Top Tensioner Roller Wheel          |  |  |
| 1          | 3/8 - 24 x 3 Hex Head                            | Bottom Tensioner Roller Wheel       |  |  |
| 2          | 3/8 - 24 Titanium Nuts with Nylock (.330 height) | Tensioner Roller Wheels             |  |  |

#### Top Wing Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b>     | <b>Description</b>                |  |  |
|------------|-----------------------------------|-----------------------------------|--|--|
| 2          | 5/16 - 24 x 1-3/8 Hex Head        | T-Post to Chassis                 |  |  |
| 2          | 5/16 - 24 x 1-1/8" Hex Head       | Slider to Chassis                 |  |  |
| 1          | 5/16 - 24 x 2 Hex Head            | Slider to Wing Tree               |  |  |
| 1          | 3/8 x 5/8 Titanium Tapered Spacer | Slider to Wing Tree               |  |  |
| 2          | 5/16 - 24 x 1 Hex Head            | Rear Wing Tree to Chassis         |  |  |
| 7          | 5/16 - 24 Titanium Nylock Nut     | T-Post to Chassis/Sliders to Wing |  |  |
| 3          | 1/4 - 28 x 1-3/4 Hex Head         | Slider to Chassis                 |  |  |
| 1          | 1/4 - 28 Titanium Nylock Nut      |                                   |  |  |
| 1          | 1/4 x 5/8 Aluminum Spacer         |                                   |  |  |

#### Front Wing Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b>            |  |  |
|------------|-------------------------------|-------------------------------|--|--|
| 2          | 1/4 - 28 x 1/2 Hex Head       | Rear Nose Wing Straps to Wing |  |  |
| 2          | 1/4 - 28 x 3/4 Hex Head       | Front Post to Wing            |  |  |
| 2          | 1/4 - 28 Titanium Nylock Nut  | Front Post to Wing            |  |  |

#### Battery Box Mounting Kit (Part # )

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b>         |  |  |
|------------|-------------------------------|----------------------------|--|--|
| 4          | 1/4 - 28 x 3/4 Hex Head       | Battery Box to Floor Pan   |  |  |
| 2          | 1/4 - 28 x 7/8 Hex Head       | Battery Box to Floor Pan   |  |  |
| 4          | 1/4 - 28 Titanium Nylock Nut  | Battery Box to Floor Pan   |  |  |
| 2          | 5/16 - 18 x 3/4 FHCS          | Bottom Battery Box to Post |  |  |
| 2          | 5/16 - 18 x 3/4 BHCS          | Top Battery Box to Post    |  |  |

**Bumpers and Nerf Bar Bolt Kit (Part # )**

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b> |  |  |
|------------|-------------------------------|--------------------|--|--|
| 14         | 10/32 x 1-1/4 Hex Head        | Nerf/Bumper Bolts  |  |  |
| 14         | 10/32 Black Nut with Nylock   | Nerf/Bumper Nuts   |  |  |

OR

**Bumpers and Nerf Spring Clip Kit (Part # )**

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b> |  |  |
|------------|-------------------------------|--------------------|--|--|
| 14         | 10/32 Pins                    | Nerf/Bumper Pins   |  |  |

**Fuel Tank Mounting Kit (Part #)**

| <b>Qty</b> | <b>Size (Thread x Length)</b>       | <b>Description</b> |  |  |
|------------|-------------------------------------|--------------------|--|--|
| 4          | 5/16 -18 x 5/8 Reduced Hex Head     | Tank to Chassis    |  |  |
| 4          | 5/16 Titanium Washers               | Tank to Chassis    |  |  |
| 1          | Kit (12) 1/4 - 28 x 7/8 Button Head | Tank Lid           |  |  |

**Shifter Handle Kit (Part # )**

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b>                |  |  |
|------------|-------------------------------|-----------------------------------|--|--|
| 1          | 3/8 x .750 Grip Titanium Pin  | Shift Handle to Chassis           |  |  |
| 1          | 1/4 - 28 x 1-1/2 Hex Head     | Shifter Cable End to Shift Handle |  |  |
| 1          | 1/4 x 5/8 Aluminum Spacer     | Shifter Cable End to Shift Handle |  |  |

**Pedal Cross Bar Kit (Part # )**

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b>                |  |  |
|------------|-------------------------------|-----------------------------------|--|--|
| 2          | 3/8 - 24 Titanium Jam Nuts    | Pedals to Cross Bar               |  |  |
| 2          | 3/8 Stainless Steel Washers   | Pedals to Cross Bar               |  |  |
| 2          | 3/8 - 24 x 1-1/4 FT Hex Head  | Pedals to Cross Bar               |  |  |
| 2          | 5/16 - 24 x 1-1/4 Hex Head    | Crossbar to Floorboard on Chassis |  |  |
| 2          | 5/16 - 24 Titanium Nylock Nut | Crossbar to Floorboard on Chassis |  |  |
| 2          | 5/16 Stainless Steel Washers  | Crossbar to Floorboard on Chassis |  |  |

**Radiator Mounting Kit**

| <b>Qty</b> | <b>Size (Thread x Length)</b> | <b>Description</b> |  |  |
|------------|-------------------------------|--------------------|--|--|
|------------|-------------------------------|--------------------|--|--|

|   |                                |                     |  |  |
|---|--------------------------------|---------------------|--|--|
| 4 | 5/16 - 24 x 1 Hex Head         | Radiator to Chassis |  |  |
| 4 | 5/16 Large OD Steel Washers    | Radiator to Grommet |  |  |
| 4 | 5/16 - 24 Titanium Nylock Nuts | Radiator to Chassis |  |  |

CHOOSE YAMAHA OR SUZUKI ENGINE MOUNT KIT

**Yamaha All Black Motor Mount Kit**

| <b>Qty</b> | <b>Size (Thread x Length)</b>           | <b>Description</b>                 |  |  |
|------------|-----------------------------------------|------------------------------------|--|--|
| 2          | M10 x 1.25 x 30mm                       |                                    |  |  |
| 2          | 7/16 - 20 x 1-1/4 Hex Head              |                                    |  |  |
| 1          | 7/16 - 20 x 1 Hex Head                  |                                    |  |  |
| 1          | 7/16 - 20 x 2 Hex Head                  |                                    |  |  |
| 1          | 7/16 - 20 x 3-1/2 Hex Head              |                                    |  |  |
| 1          | 7/16 - 20 x 7/16 - 20 x 13.5 Stud       | Micro Engine Mount Lower Bolt/Stud |  |  |
| 1          | 7/16 - 20 x 7/16 - 20 x 8.0 Stud        |                                    |  |  |
| 12         | 7/16 Stainless Steel Washers            |                                    |  |  |
| 1          | 7/16 - 20 Titanium Nylock Nut .350 tall |                                    |  |  |
| 4          | 7/16 - 20 Titanium Nylock Nut .455 tall |                                    |  |  |

**Suzuki Motor Mount Kit**

| <b>Qty</b> | <b>Size (Thread x Length)</b>           | <b>Description</b>                 |  |  |
|------------|-----------------------------------------|------------------------------------|--|--|
| 1          | M10 x 1.25 x 30mm                       | Right Side, no bracket             |  |  |
| 1          | M10 x 1.25 x 35mm                       | Left Side, Shifter Cable Bracket   |  |  |
| 2          | 3/8 - 24 x 1 Hex Head                   |                                    |  |  |
| 2          | 7/16 - 20 x 1-1/8 Hex Head              |                                    |  |  |
| 2          | 7/16 - 20 x 1-7/8 Hex Head              |                                    |  |  |
| 2          | 7/16 - 20 x 3-1/4 Hex Head              |                                    |  |  |
| 1          | 7/16 - 20 x 3-1/2 Hex Head              |                                    |  |  |
| 1          | 7/16 - 20 x 7/16 - 20 x 13.5 Stud       | Micro Engine Mount Lower Bolt/Stud |  |  |
| 5          | 3/8 Stainless Steel Washers             |                                    |  |  |
| 9          | 7/16 Stainless Steel Washers            |                                    |  |  |
| 1          | 3/8 - 24 Titanium Nylock Nut .300 tall  |                                    |  |  |
| 3          | 7/16 - 20 Titanium Nylock Nut .350 tall |                                    |  |  |
| 3          | 7/16 - 20 Titanium Nylock Nut .455 tall |                                    |  |  |